



SIPCAM AGRO USA, INC.

Supplemental Labeling

FIFRA Sec. 24(c) [Special Local Need]

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

For Control of Diseases on Sugarbeets

EMINENT® 125SL FUNGICIDE

EPA Reg. No. 60063-12

EPA SLN No. ID-050008

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label for EMINENT 125SL.

Target Diseases	PHI (days)	EMINENT 125SL Rate per Acre	APPLICATION DIRECTIONS
Powdery Mildew, Cercospora leafspot	14	13 fluid ounces	Apply EMINENT at intervals of 21 to 28 days, beginning when conditions are favorable for Cercospora leafspot or powdery mildew. Applications of EMINENT must be alternated with a non-triazole fungicide which is registered for use on sugarbeets. If the alternate fungicide is known to provide protection for up to 14 days, applications of EMINENT should be no longer than 28 days apart. Do not make more than two (2) applications of EMINENT per growing season. Crops other than sugarbeet must not be grown within 120 days following the last application of EMINENT 125SL.

Fungicide Resistance Management

EMINENT contains a sterol demethylation inhibitor (sterol DMI) fungicide. EMINENT should be applied in tank mix or in alternate applications with non-DMI fungicides as a resistance management strategy. Do not mix or alternate EMINENT with other DMI fungicides.

This label for Eminent 125SL Fungicide expires November 30, 2012.

Eminent is a registered trademark of Isagro S.p.A., Milan, Italy.

FIFRA 24(c) Registrant:

Sipcam Agro USA, Inc.
300 Colonial Center Parkway, Suite 230
Roswell, Georgia 30076